

A. I. A. FILE NO. 35-i-1.5

The Shelving of a Thousand Uses!

ERECTA SHELF®

Multi-Purpose • Durable • Lightweight

ERECTA-SHELF'S Unique Strength is in its Corrugated Steel Support!

ERECTA-SHELF® covered by the following U. S. or Canadian patents:

2919817	3208406	3208777	3225720
D195851	2894643	D185801	Canada 727876
3208408	3138123	3137964	

Other U. S. and Canadian patents pending.

Trademark 631307

METROPOLITAN WIRE GOODS CORPORATION


Wilkes-Barre, Pennsylvania 18705 • Telephone 717-825-2741

In Canada: METROPOLITAN WIRE GOODS (CANADA) LTD.

117 Vulcan Street, Rexdale, Ontario • Telephone 416-247-7871

ES50-662

A. I. A. FILE NO. 35-i-1.5



ANYTHING GOES ON ERECTA-SHELF

You've never seen shelving so easy to use in so many practical ways! Erecta-Shelf is joined by friction fit, assembles in minutes without nuts, bolts or special tools, making substantial savings in assembly cost. Entire units fasten end to end, at right angles, back to back or stack for extra height! Shelves adjust easily to accommodate storage of any shape or size.

Erecta-Shelf's open, steel rod construction permits free circulation, reduces spontaneous combustion hazards, and improves sprinkler effectiveness. Erecta-Shelf does not collect dust as flat shelves do. And its stainless steel or heavy plated finish is impervious to heat, or cold.

Erecta-Shelf fits any floor plan — meets any storage need. It's truly the shelving of a thousand uses!

1. Diagonal bracing adds extra rigidity.
2. Shelves feature a "bridge" type bracing. Under test conditions each size shelf was made to bear 1,000 lbs. of distributed weight without showing permanent distortion, loss of rigidity or failure in any way; 500 lbs. when shelf spacers were used.
3. Open rod construction permits free air circulation through entire units.
4. Shelves adjustable in 5" increments. Any spacing can be had by using shelf spacers.
5. Stainless steel or heavy plate stays new, looks attractive for as long as you use it. Plated shelves and uprights have a protective coating of baked-on clear epoxy.
6. Bolt leveler adjusts to compensate for uneven floors.






Erecta-Shelves serve a dual purpose in walk-in refrigerators. Food is stored on them, and they are also used to transport the food to the work area without additional handling. Cleaning the refrigerator is made easy as the shelves are rolled away from the wall. The shelving itself is easily cleaned. It can be rolled to a drain and hosed down or steamed.

Erecta-Shelf wine shelves have a special design to cradle bottles in curved compartments. The spacing is at 5" intervals. Other spacing can be had by the use of Shelf Spacers. The wine shelves can be free standing, wall hung, or on casters.




The wall brackets shown make it possible to utilize space that might otherwise be wasted. These shelves are over a freezer that opens from the top. Wall brackets have different capacities. They will accommodate from a single shelf up to five shelves. They can tie in with free standing units as shown here.



The freestanding Erecta-Shelf unit stores dry foods. Uprights are equipped with adjustable feet. This shelving has complete flexibility. Here the bottom shelf is assembled 7" above the floor for easy cleaning. Erecta-Shelves are approved by the National Sanitation Foundation.



Erecta-Shelf trucks are used for linen handling. Strong yet lightweight, this truck is easy to move and maneuver. Open construction eliminates the problem of lint and dust. Laundry is kept fresh without mildew hazard. The unit does double duty as it stores as well as transports, eliminating the need for linen closets and reducing handling.





The wide variety of components of Erecta-Shelves make an almost limitless number of combinations possible. Units can be made up to meet most any requirement. These trucks are handling airline trays. Two Erecta-Shelf units measuring 18" x 30" are placed back to back on a dolly to make a 36" x 30" truck. Dollies are made of extruded aluminum, heavily reinforced and are equipped with rubber bumpers. Casters shown are the heavy duty type.




Trucks required to carry especially heavy loads can be equipped with Erecta-Shelf sway braces as illustrated. Sway braces are also recommended when the space between shelves is large, such as here at the Tacoma-Seattle Airport where the unit is handling food containers. The truck in the foreground measures 24" x 60". The one to the right is a special six wheeler, measuring 96" overall.



Food containers are kept 12" off the floor on these Erecta-Shelf platforms. This contributes to ease of cleaning floors. For exceptionally heavy loads, platform braces are available to beef up these platforms. Also reinforced uprights can be used to give additional strength. The open construction of these units leaves no area for dirt to collect or vermin to hide.

Mobile produce bin. This device, adapted from Erecta-Shelf components saves food, labor and time. Produce is loaded from the top and removed from the bottom, insuring proper rotation and reducing spoilage. Contents can be seen and the "bad ones" removed.






Metro-Maids. These trucks are used in hotels and motels for handling linen and supplies required by maids. Most of the components are stock Erecta-Shelf parts. This unit is very light in weight and consequently easy to push and maneuver. All Erecta-Shelf units come knocked down for low freight cost. Assembly is simple, takes only minutes.





Erecta-Shelf is ideal for displaying merchandise. There are no solid areas to block vision. Decorative corrugated bracing on the shelves has eye appeal. This book store has their shelving on casters. It makes the store easy to clean and rearranging the store lay-out is simple.

Erecta-Shelf is used for open filing. This is an economical and time saving filing technique. Here are X-Ray files in a hospital. The shelving is broken up into bins by adjustable shelf dividers. Erecta-Shelf and its accessories are adjustable both vertically and horizontally.




In this office, two 12" wide Erecta-Shelf units are placed back to back. The section on the left has the nearer unit rising only to counter height. This unit also is equipped with corner braces where it makes a right angle turn. This eliminates the need for an additional upright at this point and makes the material in the corner easily accessible.





Shelf Spacers permit shelving to be positioned at any spot along the upright. Every inch of storage area can be used. Without shelf spacers, shelving can be spaced in intervals of 5". The Shelf Spacers can be used with Reinforced Uprights but with less spacing choice. See detail of Reinforced Upright, lower left.




This handy accessory is a bin marker which clamps over the leading edge of the shelf. It is easily moved and holds a paper label. ↓




This Erecta-Shelf unit is made up into bins by the use of Rod and Tab assemblies, stock Erecta-Shelf accessories. These rods can also be installed so as to form a back for the unit. A cover is available for Erecta-Shelf units. The covers are made of coated or uncoated nylon with heavy duty zippers. The coated material is waterproof, making it possible to take Erecta-Shelf trucks out of doors even in wet weather.

← This meat rail is made from standard and special Erecta-Shelf components. It is portable and rolls to receiving dock, is loaded and then rolled into the refrigerator. When meat is needed, it can be rolled to the work area without additional handling. The dolly on which this meat rail rests is the latest model Erecta-Shelf dolly. It is made of custom extruded aluminum. Strength has been increased, the new flush surfaces are easy to clean and there are fewer joints. →



← Reinforced Erecta-Shelf uprights consist of standard uprights to which have been added diagonal braces framed in by I beam shaped strips. The combination provides tremendous strength. Reinforced uprights are used on all Erecta-Shelf Trucks and are recommended for exposed end sections of free standing units. →






Erecta-Shelves are made of bright basic steel as well as stainless steel. Bright basic steel shelves are plated with copper, nickel and chrome. They are then finished with a coat of clear baked-on epoxy. The photograph shows plated shelving being conveyed through an epoxy bath and on to a conveyor bake oven. The epoxy eliminates the possibility of corrosion in the hard to plate areas. Stainless steel Erecta-Shelves are electro polished.



An adaptation of Erecta-Shelves is this wall hung dish rack shelf. The open construction offers no area for foreign matter to collect. This economical unit substitutes for custom made stainless steel shelving which is expensive and must continually be polished.



Side Ledges and Back Ledges can be applied to Erecta-Shelves. These prevent small items from being pushed off the shelf.




The electronics industry requires dust free rooms. Erecta-Shelves help make this possible. Here is a clean room also called a white room, where every precaution is taken to completely eliminate dust. Erecta-Shelves are ideal for this because of their open construction and the fact that there are no flat surfaces on which dust can accumulate. These shelves can be hosed or steamed down for quick easy cleaning.

ERECTA-SHELF NOTE ON ERECTA-SHELF MEASUREMENTS

A1 represents the overall length of a shelf (24", 30", 36", 42", 48", 60"). A represents the actual shelf clearance between uprights. B is always 1-3/16" less than B1. Clearance between shelves should be measured as B. Slightly taller items may be placed on shelves by first tilting them under the front edge. Dimension B1 shown here is 5". It can be increased, in 5" intervals, to the opening required. For opening of any size see Shelf Spacers.


Illustrated to the right are 4 dimensions that should be borne in mind when assembling Erecta-Shelf.



DIMENSION A1	DIMENSION A (inside clearance)
24" shelf	22 1/4"
30" shelf	28 1/4"
36" shelf	34 1/4"
42" shelf	40 1/4"
48" shelf	46 1/4"
60" shelf	58 1/4"

SHELVES

Cat. No. Chrome	Status	Stainless	Status	Width	Length	Approx. Packed Wt.	Price Chrome	Price Stainless
1224	In Stock	S1224	Limited Stock	12"	24"	5 lbs.	4.65	16.30
1230	In Stock	S1230	Limited Stock	12"	30"	6 lbs.	5.60	19.60
1236	In Stock	S1236	Limited Stock	12"	36"	7 lbs.	6.45	22.60
1242	In Stock	S1242	Limited Stock	12"	42"	8 1/4 lbs.	7.35	25.75
1248	In Stock	S1248	Limited Stock	12"	48"	9 1/2 lbs.	8.10	28.35
1260	In Stock	S1260	Limited Stock	12"	60"	12 lbs.	10.60	37.10
1824	In Stock	S1824	Limited Stock	18"	24"	6 1/2 lbs.	6.15	21.55
1830	In Stock	S1830	Limited Stock	18"	30"	8 lbs.	7.35	25.75
1836	In Stock	S1836	Limited Stock	18"	36"	10 lbs.	8.40	29.40
1842	In Stock	S1842	Limited Stock	18"	42"	11 lbs.	9.65	33.75
1848	In Stock	S1848	Limited Stock	18"	48"	12 1/2 lbs.	10.75	37.65
1860	In Stock	S1860	Limited Stock	18"	60"	15 1/4 lbs.	13.75	48.15



UPRIGHTS


Cat. No. Chrome	Status	Stainless	Status	Width	Length	Approx. Packed Wt.	Price Chrome	Price Stainless
1252	In Stock	S1252	Limited Stock	12"	53 1/2"	6 3/4 lbs.	5.70	19.95
1262	In Stock	S1262	Limited Stock	12"	63 1/2"	7 1/2 lbs.	6.15	21.55
1272	In Stock	S1272	Limited Stock	12"	73 1/2"	9 lbs.	6.60	23.10
1287	In Stock	S1287	Limited Stock	12"	88 1/2"	10 3/4 lbs.	7.05	24.70
1852	In Stock	S1852	Limited Stock	18"	53 1/2"	7 1/2 lbs.	6.75	23.65
1862	In Stock	S1862	Limited Stock	18"	63 1/2"	9 lbs.	7.30	25.55
1872	In Stock	S1872	Limited Stock	18"	73 1/2"	11 lbs.	7.80	27.30
1887	In Stock	S1887	Limited Stock	18"	88 1/2"	12 3/4 lbs.	8.35	29.25
*2452	In Stock	S2452	Limited Stock	24"	53 1/2"	10 1/4 lbs.	10.25	35.90
*2462	In Stock	S2462	Limited Stock	24"	63 1/2"	14 lbs.	11.05	38.80
*2472	In Stock	S2472	Limited Stock	24"	73 1/2"	15 1/2 lbs.	11.90	41.60
*2487	In Stock	S2487	Limited Stock	24"	88 1/2"	17 lbs.	12.70	44.45
R1252	In Stock	SR1252	Limited Stock	12"	53 1/2"	11 lbs.	10.00	35.00
R1262	In Stock	SR1262	Limited Stock	12"	63 1/2"	13 1/4 lbs.	10.50	36.75
R1272	In Stock	SR1272	Limited Stock	12"	73 1/2"	16 3/4 lbs.	11.35	39.75
R1287	In Stock	SR1287	Limited Stock	12"	88 1/2"	18 lbs.	12.40	43.40
R1852	In Stock	SR1852	Limited Stock	18"	53 1/2"	12 lbs.	10.85	38.00
R1862	In Stock	SR1862	Limited Stock	18"	63 1/2"	15 lbs.	11.80	41.30
R1872	In Stock	SR1872	Limited Stock	18"	73 1/2"	17 lbs.	12.70	44.45
R1887	In Stock	SR1887	Limited Stock	18"	88 1/2"	18 lbs.	13.85	48.50
*R2452	In Stock	SR2452	Limited Stock	24"	53 1/2"	13 lbs.	14.35	50.15
*R2462	In Stock	SR2462	Limited Stock	24"	63 1/2"	16 3/4 lbs.	15.55	54.40
*R2472	In Stock	SR2472	Limited Stock	24"	73 1/2"	18 lbs.	16.80	58.80
*R2487	In Stock	SR2487	Limited Stock	24"	88 1/2"	20 lbs.	18.20	63.70

R indicates reinforced uprights.

*Uprights 24" wide take 2 shelves 12" wide.



Standard Upright



Reinforced Upright




Adjustable Foot

WALL BRACKETS

Code	Capacity	Size	Approx. Packed Wt.	Per Set Chrome	Per Set Stainless
12WB1	One Shelf	12x12 3/4	1 1/4 lbs.	3.00	10.50
12WB3	1 to 3 Shelves	12x21 3/4	2 1/2 lbs.	3.80	13.30
12WB5	1 to 5 Shelves	12x31 3/4	4 lbs.	4.20	14.70
18WB1	One Shelf	18x12 3/4	1 1/2 lbs.	3.20	11.20
18WB3	1 to 3 Shelves	18x21 3/4	3 lbs.	3.90	13.65
18WB5	1 to 5 Shelves	18x31 3/4	4 lbs.	4.60	16.10

Above prices are for brackets and hardware only. Shelves are priced separately.

TERMS — 1% 10 DAYS, NET 30 DAYS. F.O.B. WILKES-BARRE, PENNSYLVANIA 18705




SIMPLE STEPS IN ASSEMBLING ERECTA-SHELF

1. Place one upright in vertical position, leveling bolt on the floor, diagonal wires on outside. At lowest position you are going to use place grooves of shelf against vertical wires of upright. Both grooves must engage upright wires, never engage only one. Where shelf load will be heavy, place bottom shelf no higher than the second horizontal brace.

Now place grooves of opposite side of shelf against opposite vertical wires of upright. (Use of a lubricant such as soap, wax or even water helps slide wire into place.) Shelf is now at an angle as shown in Figure 1.

2. Place other upright in vertical position and arrange grooves the same way. Hammer shelf into horizontal position as shown in Figure 2.



SPECIFICATIONS

GENERAL — Material shall be bright basic round steel wire, copper-nickel-chrome plated to .0015" combined thickness, or No. 302 or No. 304 type 18-8 stainless steel. Plated shelves and uprights shall be coated after plating with baked-on clear epoxy. There shall be a weld at every contact point. Shelves and uprights shall be approved by the National Sanitation Foundation Testing Laboratory under Standard No. 2.

SHELVING — Shelving shall interlock with uprights by means of 4 milled grooves located at each of the four ends of the shelf. Grooves shall force fit between upright rods. Shelves shall be made of 2 outer ribs ($\frac{1}{4}$ ") with intermediate ribs (No. 7 ga.) on 1" centers. Supports ($\frac{1}{4}$ ") spaced 6" apart shall be welded under ribs. A corrugated truss brace (No. 7 ga.) shall be welded to outer ribs and to a $\frac{1}{4}$ " support.

UPRIGHTS — Uprights shall consist of 2 outer rods ($\frac{1}{4}$ ") on each side, one diagonal brace (No. 7 ga.) running the full length of the upright, and a brace (No. 7 ga.) running parallel to and located 1" from the outer rods. Welded between and at right angle to the outer rods there shall be supports ($\frac{1}{4}$ ") spaced on 5" centers. The bottom support shall have an arch shape and shall be welded to the center of support located immediately above.

The foot of the upright shall be a 3/8-16 dome head hex bolt. It shall be mounted in a cast housing joined to the bottom of the wire portion of the upright. The casting shall be so constructed as to provide no area into which foreign matter can collect.

The threads of the bolt shall be completely concealed.

FREIGHT CLASSIFICATION: Shelving, Steel, NOIBN, KD, Flat, Rating: 70.

ERECTA-SHELF meets Government Specifications:

IP/DES S-128-0 MIL-S-40144 Fed. Supply Catalog, Dept. of Defense, Sec. C6-10-SL.

Stock No. 7125-706-4239

Stock No. 7125-707-3041

Approved by the National Sanitation Foundation Testing Laboratory

TERMS — 1% 10 DAYS, NET 30 DAYS. F.O.B. WILKES-BARRE, PENNSYLVANIA 18705

ERECTA-SHELF DOLLIES

Dollies listed here have Type B3, 3" hard rubber casters. Optional casters are listed below.


Cat. No.	Status	Stainless	Status	Shelf Size + Width Length	Approx. Packed Wt.	Price Aluminum	Price Alum. w/Dust Grd.	** Price Stainless
D1224	In Stock	SD1224	To Order	12" 24"	12 1/4 lbs.	27.80	38.00	77.00
D1230	In Stock	SD1230	To Order	12" 30"	13 lbs.	29.15	40.75	80.00
D1236	In Stock	SD1236	To Order	12" 36"	13 1/4 lbs.	30.45	43.35	82.00
D1242	In Stock	SD1242	To Order	12" 42"	14 lbs.	31.85	46.10	85.00
D1248	In Stock	SD1248	To Order	12" 48"	14 1/2 lbs.	33.40	49.00	88.00
D1260	In Stock	SD1260	To Order	12" 60"	15 lbs.	35.10	53.40	93.00
D1824	In Stock	SD1824	To Order	18" 24"	14 lbs.	29.60	42.50	77.00
D1830	In Stock	SD1830	To Order	18" 30"	15 lbs.	30.95	46.00	82.00
D1836	In Stock	SD1836	In Stock	18" 36"	17 lbs.	32.20	49.15	85.00
D1842	In Stock	SD1842	To Order	18" 42"	18 lbs.	33.65	52.70	88.00
D1848	In Stock	SD1848	In Stock	18" 48"	19 lbs.	35.20	56.20	90.00
D1860	In Stock	SD1860	To Order	18" 60"	21 lbs.	36.90	62.10	95.00
D2436*	In Stock	SD2436	To Order	24" 36"	19 lbs.	34.10	55.10	88.00
D2448*	In Stock	SD2448	To Order	24" 48"	25 lbs.	37.20	63.60	93.00
D2460*	In Stock	SD2460	To Order	24" 60"	31 lbs.	38.95	70.75	98.00

Dolly includes frame and casters only, no shelves or uprights.


*Uprights 24" wide take 2 shelves 12" wide.

+ For overall dolly size add 3/4" to the length and 1 1/4" to the width of the shelf size. Upright height plus wheel size plus 1 3/4" equals overall height.

**Only frames are stainless steel, casters are not.



Standard Dolly



Dolly with Dust Cover

OPTIONAL CASTERS

In figuring price of optional casters add price of dolly to additional charge for optional casters. Example: To price a D1848 dolly with 5" Type A casters — 2 casters with brakes, 2 without. The dolly price is \$35.20 plus the additional cost of 2 — Type A, 5" casters without brakes \$7.40, plus \$8.50 for 2 — Type A, 5" casters with brakes. Total price is \$51.10.

TYPE A, RESILIENT QUIET RUBBER COMPOSITION NON-MARKING SWIVEL CASTERS

Price: Be sure to add price of dolly to price shown below — see Optional Casters above.

Diameter	Face	Rating Per Caster	Cat. No.	Add'l. Charge With Brake	Status	Cat. No.	Add'l. Charge Without Brake	Status
4"	15/16"	110 lbs.	A4B	3.30 per caster	Stock	A4	.95 per caster	Stock
5"	15/16"	125 lbs.	A5B	4.25 per caster	Stock	A5	3.70 per caster	Stock

Above casters are swivel, solid rubber composition. Price for rigid same as price without brake.

Prices apply only when dolly and optional casters are ordered. Unit price for individual casters furnished on request.



TYPE A


TYPE B, MEDIUM CAPACITY NON-MARKING SWIVEL CASTERS

Price: Be sure to add price of dolly to price shown below — see Optional Casters above.


Diameter	Face	Rating Per Caster	Cat. No.	Add'l. Charge With Brake	Status	Cat. No.	Add'l. Charge Without Brake	Status
3"	1 1/4"	200 lbs.	B3B	4.25 per caster	Stock	B3	Standard	Stock
4"	1 1/8"	200 lbs.	B4B	8.50 per caster	Stock	B4	7.80 per caster	Stock
5"	1 1/8"	200 lbs.	B5B	9.10 per caster	Stock	B5	8.40 per caster	Stock

Above casters are swivel. Price for rigid same as price without brake.

No. B3 caster is hard rubber. No. B4 and B5 have metal wheels with resilient rubber tires. Prices apply only when dolly and optional casters are ordered. Unit price for individual casters furnished on request.



TYPE B3



TYPE B4 & B5

TYPE C, HEAVY DUTY NON-MARKING SWIVEL CASTERS

Price: Be sure to add price of dolly to price shown below. See Optional Casters above.

Diameter	Face	Rating Per Caster	Cat. No.	Add'l. Charge With Brake	Status	Cat. No.	Add'l. Charge Without Brake	Status
5"	1 1/2"	400 lbs.	C5B	13.80 per caster	Stock	C5	12.75 per caster	Stock
6"	2"	500 lbs.	C6B	16.40 per caster	Stock	C6	15.40 per caster	Stock

Above casters are swivel. Price for rigid same as price without brake. Type C casters have metal wheel with resilient rubber tire. Prices apply only when dolly and optional casters are ordered. Unit price for individual casters furnished on request.



TYPE C

RUBBER BUMPERS

Stock dolly has standard rubber bumper at each corner. Heavy duty rubber bumpers, No. 6905, 2 1/2" grey rubber. Price \$14.90 per set of 4. Side bumpers, No. 6913X1, 3/4" x 3/4" grey rubber, \$2.55 per ft.

TERMS — 1% 10 DAYS, NET 30 DAYS. F.O.B. WILKES-BARRE, PENNSYLVANIA 18705

HEAVY DUTY ERECTA-SHELF TRUCK

Though light weight and easy to handle, this sturdy Erecta-Shelf Truck is designed to deliver years of heavy duty service. Its unique corrugated bracing reinforces it four ways. The Erecta-Shelf Truck is available in a wide variety of sizes. Four inch swivel casters are standard. Larger sizes and heavy-duty casters are available — see "Optional Casters." Higher capacity casters and larger casters are recommended for large trucks and for those required to handle heavy loads. Shelves are easily added if desired.

Erecta-Shelf Trucks are shipped "knocked down." Assembly is quick and easy.

Listed below are trucks to serve most requirements. Additional sizes, capacities, number of shelves, etc., can be assembled from stock components. See page E10 and E12 for details on shelves, uprights, dollies and casters.

Code No.	Price	Shelf Size	Height	No. of Shelves	Packed Weight
T1333	82.90	18 x 36	38"	3	63 lbs.
T1354	91.30	18 x 36	58"	4	83 lbs.
T1364	93.20	18 x 36	68"	4	83 lbs.
T1374	95.00	18 x 36	78"	4	94 lbs.
T1385	105.70	18 x 36	93"	5	102 lbs.
T1433	92.95	18 x 48	38"	3	75 lbs.
T1454	103.70	18 x 48	58"	4	97 lbs.
T1464	105.60	18 x 48	68"	4	99 lbs.
T1474	107.40	18 x 48	78"	4	106 lbs.
T1485	120.45	18 x 48	93"	5	121 lbs.
T1533	103.65	18 x 60	38"	3	95 lbs.
T1554	117.40	18 x 60	58"	4	122 lbs.
T1564	119.30	18 x 60	68"	4	112 lbs.
T1574	121.10	18 x 60	78"	4	127 lbs.
T1585	137.15	18 x 60	93"	5	137 lbs.
T2333	105.30	24 x 36	38"	3	81 lbs.
T2354	118.20	24 x 36	58"	4	101 lbs.
T2364	120.60	24 x 36	68"	4	103 lbs.
T2374	123.10	24 x 36	78"	4	111 lbs.
T2385	138.80	24 x 36	93"	5	122 lbs.
T2433	118.30	24 x 48	38"	3	105 lbs.
T2454	134.50	24 x 48	58"	4	125 lbs.
T2464	136.90	24 x 48	68"	4	126 lbs.
T2474	139.40	24 x 48	78"	4	135 lbs.
T2485	158.40	24 x 48	93"	5	150 lbs.
T2533	135.05	24 x 60	38"	3	139 lbs.
T2554	156.25	24 x 60	58"	4	168 lbs.
T2564	158.65	24 x 60	68"	4	150 lbs.
T2574	161.15	24 x 60	78"	4	178 lbs.
T2585	185.15	24 x 60	93"	5	178 lbs.

CODE

T = Truck

First Numeral — Width: 1 = 18" wide;

2 = 24" wide.

Second Numeral — Length: 3 = 3' long;

4 = 4' long; 5 = 5' long.

Third Numeral — Height: 3 = 38" high;

5 = 58" high; 6 = 68" high; 7 = 78" high.

Fourth Numeral — No. Shelf Levels: 3 = 3 levels;

4 = 4 levels; 5 = 5 levels.

Above trucks have reinforced uprights and 4" Type A casters. Rated capacity, 440 lbs. per truck. For large trucks use higher capacity and larger casters. See Optional Casters, page E12.



ERECTA SHELF®

The Shelving
of a
Thousand Uses!



METROPOLITAN WIRE GOODS CORPORATION

Wilkes-Barre, Pennsylvania 18705 • Telephone 717-825-2741

In Canada: **METROPOLITAN WIRE GOODS (CANADA) LTD.**

117 Vulcan Street, Rexdale, Ontario • Telephone 416-247-7871